

Burleigh County Emergency Management

Flood Annex

Last Reviewed: April 2023

Developed: February 2010

Used in coordination with the below, stand-alone document as deemed appropriate:

- Missouri River Correctional Center Flood Control – Operational and Maintenance Manual
- Fox Island Control – Operational and Maintenance Manual

Record of Changes

[illegible]

Table of Contents

	<u>Page</u>
I. Situation	1
A. General	1
B. Scope	2
C. Legal Basis	2
D. Planning Assumptions	2
II. Mission	2
III. Execution	3
A. General	3
B. Concept of Operations	3
Phase 1—Prevention, Mitigation, Preparedness	4
Phase 2—Response	8
Phase 3—Recovery	12
IV. Command and Control	14
V. Communications	15
VI. Media Release Information	16
VII. Resources	19
Appendix 1: Flood Category Definitions	1
Appendix 2: Apple Creek	1
Apple Creek Stages and Response	2
Apple Creek Staff Gage Locations	3
Appendix 3: Low Water Crossings	1
Appendix 4: Missouri River	1
Missouri River Stages and Response - Ice Jam Scenario	2
Missouri River Stages and Response - Flooding Scenario	3
Exhibit 1: Glenview Township Drainage Ditch	10
Exhibit 2: 149 th Avenue Northwest	11
Exhibit 3: South Central Regional Water District	12
Exhibit 4: Burnt Creek Culvert	13
Exhibit 5: Berm North of Ponderosa Riverside Village	14
Exhibit 6: Olive Tree Drive	15
Exhibit 7: Burnt Creek Loop Culvert	16
Exhibit 8: South Leg of Burnt Creek Loop	17
Exhibit 9: West Harbor Drive	18
Exhibit 10: Mills Avenue Gate	19
Exhibit 11: Mills Avenue Culverts	20
Exhibit 12: Control Structure at Whisper Drive and Woodland Drive	21
Exhibit 13: Fox Island	22
Exhibit 14: Tavis Road Pump Control Structure	23
Exhibit 15: 48 th Avenue Southwest	24
Exhibit 16: Missouri River Correctional Center (MRCC)	25

Exhibit 17: South Washington Street (North of General Sibley Park)	26
Exhibit 18: General Sibley Park	27
Exhibit 19: 12 th St SE and 48 th Ave SE	28
Exhibit 20: Prairie Rose Elementary School	29
Exhibit 21: Culverts Next to South 12 th St SE.....	30
Exhibit 22: City of Bismarck Existing Protective Measures (2015).....	31
Exhibit 23: City of Bismarck Ice Jam Protective Measures (2015).....	32
Exhibit 24: City of Bismarck Stage 16' Temporary Protective Measures (2015).....	33
Exhibit 25: City of Bismarck Stage 20' Temporary Protective Measures (2015).....	34
Exhibit 26: City of Bismarck Internal Drainage (2015)	35
Appendix 5: Ice Dusting	1
Appendix 6: Burleigh County Permanent Flood Protection Projects (North of Interstate 94).....	1
Appendix 7: Burleigh County Permanent Flood Protection Projects (South of Interstate 94).....	1
Appendix 8: City of Bismarck S Washington St Flood Gate Operations and Management Plan .	1
Appendix 9: Pre-Identified Material Locations for Levee Construction	1
Appendix 10: Pre-Identified Sandbag Sites	1
Appendix 11: Forms – Volunteer Waiver Form	1
Appendix 12: Forms – Volunteer Registration Form	1

Flood Annex

Lead Agencies:	Burleigh County Highway Department Burleigh County Sheriff's Department Burleigh County Emergency Management/Emergency Operations Center
Support Agencies:	Ambulances Bismarck Police Department Chaplaincy Bismarck Rural Fire Department Bismarck/Burleigh Public Health Burleigh County Extension Service Burleigh County Geographic Information System Burleigh County State's Attorney Burleigh County Water Resource District Central Dakota Communications Center (911) Lincoln Police Department Sterling Rural Fire Department Wilton Rural Fire Department Wing Rural Fire Department
Private/Nonprofit:	West Dakota American Red Cross Salvation Army

I. Situation

A. General

This Flood Annex has been prepared to address flood events in Burleigh County, North Dakota. The Flood Annex attempts to provide information and guidance, not only to minimize the hardships experienced because of severe flooding, but to identify proactive remediation measures, coordinate departments and resources, and public education.

Historically, extreme flooding occurs during the spring when any or all of the following events take place concurrently:

- A sudden increase of temperatures that melts existing snow cover and a high intensity rainfall event increasing the amount of water flowing into the River and Creeks.
- Ground temperatures that are below freezing, inhibiting infiltration of rain/snow, and causing water to quickly flow into the Missouri River, Apple Creek, Burnt Creek, Hay Creek or result in overland flooding.
- A restriction of flow in the River or Creeks such as debris accumulation or ice jams that would cause increased water elevations upstream of the restriction.

This plan acknowledges that flood damage may not be eliminated and attempts to mitigate the effects as much as possible.

B. Scope

This plan provides direction to local government and private/nonprofit agencies within Burleigh County that are involved in preparing for and responding to a flood event. Each agency is responsible for planning how they will fulfill their task/responsibility:

- To provide for the timely and orderly response in Burleigh County when it is determined that such action is the most effective means available for protecting the public, and
- To assign responsibilities to specific agencies; and
- To ensure a coordinated effort using the Incident Command System (ICS) by local, state, and federal government, as well as private response forces, to save lives and to protect property and the environment in a flood event.

C. Legal Basis

Legal authorities outlined in the Burleigh County Emergency Operations Plan apply to this annex.

D. Planning Assumptions

The following assumptions provide the foundation for this annex:

- On an annual basis, the County may experience some level of flooding due to riverine or flash flooding.
- Floods take many forms and vary significantly in size, strength, intensity, duration, and impact and may occur on several separate river/creek systems at the same time.
- Floods may escalate to a catastrophic event paralyzing municipalities and rural areas for several days by shutting down transportation routes, an inability of local emergency services to respond to calls for assistance, and extended periods of inaccessibility to basic needs.
- Floods may impact animal safety resulting in catastrophic losses for producers.
- Most floods occur gradually with advance warning, enabling first responders to pre-plan and pre-position resources.
- Floodwaters may isolate farmsteads and communities for many days as floodwaters slowly recede.
- The formation of ice jams may occur and create highly localized flooding with rapidly rising water levels on riverine systems.

II. Mission

The primary mission of local government and private/nonprofit agencies assigned responsibility in the Flood Annex is to coordinate and make available resources in support of local governments to minimize the impact of a flood on people, property, and the environment.

III. Execution

This annex is in effect when Burleigh County Emergency Management, in collaboration with other County Departments and the National Weather Service, determines an imminent threat of flooding poses a risk to public health and safety, property, and livestock, or actual flooding is occurring.

- The Burleigh County Emergency Manager will then notify the Burleigh County Commission and activate the Emergency Operations Center.
- The Burleigh County Emergency Manager or designee will notify the State Emergency Operations Center.

A. General

The ND Department of Emergency Services categorizes emergency management activities into three operational phases, which often occur concurrently: Phase 1—Prevention, Mitigation and Preparedness; Phase 2—Response; and Phase 3—Recovery. Local responses to a flood event may encompass all three phases.

B. Concept of Operations

The Burleigh County Emergency Operations Plan, of which this annex is a part, will guide local government emergency/disaster operations in relation to a flood event with support from private/nonprofit agencies.

National Weather Service flood outlooks, watches and warnings provide advance knowledge thereby affording local responders the ability to pre-position resources (i.e., equipment, sandbags, distribution points, steamers, generators, and pumps) and evaluate potential shortages. The Emergency Manager will coordinate assistance requests beyond mutual aid with the North Dakota Department of Emergency Services. Flash flooding often comes without advanced warning and does not allow for pre-positioning of resources; however, assistance will be coordinated the same as flood events preceded by advance warning.

In addition to responsibilities outlined in the Burleigh County Emergency Operations Plan, specific agency tasks during a flooding event are based on operational phases as follows:

Phase 1—Prevention, Mitigation, Preparedness

(Task/Responsibility listed by agency)

All Entities

Monitor developing or current flood forecast, weather conditions and report preparedness and pre-positioning activities to Burleigh County Emergency Management.

Review agency responsibilities, flood preparedness plans and resources; and evaluate capabilities to support flooding operations and provide updates to the Burleigh County Emergency Management.

Coordinate news releases in collaboration with lead and support agencies through the Public Information Officer (PIO) or Joint Information Center (JIC) to ensure a one message, many voices concept.

Alert staff and appropriate stakeholders of impending flood and weather conditions and preparedness activities.

Prepare to support extended workday requirements.

Test and maintain communications capabilities.

Burleigh County Water Resource District

Monitor river stage, stream flow conditions and weather forecasts and coordinate with the Emergency Operations.

Prepare to provide technical support to local officials in support of preparation for flood fighting and recovery efforts.

Central Dakota Communications Center (911)

Prepare to provide voice and data public safety communications to first responders.

Prepare to relay critical information via telephone, radio, automatic notification system, and other methods.

Chaplaincy

Prepare to coordinate delivery of food and hydration to field operations.

Emergency Management/Emergency Operations Center

Assist Public Information Officer in maintenance of media contact information.

Maintain aviation resource contacts for aerial reconnaissance and damage assessment needs.

Maintain a listing of pet and livestock shelters in coordination with the Extension Service and Emergency Management.

Monitor weather outlooks, watches and warnings that may impact flood incidents and disseminate information to stakeholders.

Fire Department

Maintain awareness of the emergency snow routes which may be utilized as evacuation routes.

Maintain awareness of road closures/openings and/or establishment of alternate routes.

Prepare to assist with evacuations and search and rescue operations.

Geographic Information Systems (GIS)

Prepare to develop event-based maps for:

- Inundated areas
- Road closures
- Alternate emergency routes

Highway Department/Public Works

Maintain current listing and map of emergency snow routes which may be utilized as evacuation routes.

Monitor creek/river levels.

Prepare to pre-position equipment and provide increased support to areas of potential flood impact or relocate resources to impacted areas.

Prepare to support flood preparation, response, and recovery operations, as necessary (i.e., material hauling, dike maintenance, pumps, generators, barricades, etc.) Pre-identify materials for levees and ensure adequate supply of sandbags and other materials.

Prepare to coordinate with the Burleigh County Sheriff's Department to determine the need for road closures/openings and relay information to the Emergency Operations Center. Coordinate listing of road closures/openings on the Burleigh County Website.

Prepare to provide emergency signs, regulatory devices, and barricades, as well as identify alternate traffic routes.

Prepare to assist with debris removal and road repairs as needed.

Inspections

Review plans and forms for inspections of affected areas.

Prepare to provide technical assistance regarding power restoration and status reports.

Prepare to coordinate with homeowners, electrical companies, electrical engineers, and power supply companies regarding outages.

Prepare to help restore the potable water supply and wastewater disposal systems.

Prepare to provide technical assistance to licensed Plumbing Contractors and homeowners regarding procedures for prevention of wastewater backup and water service shut-off to prevent cross connection.

Public Health/Environmental Health

Prepare to provide technical assistance to ensure safe drinking water in the event of an emergency or disaster which may have resulted in bacteriological or chemical contamination.

Prepare to provide coordination for the delivery of safe (potable) alternate water supplies and temporary water systems.

Prepare to provide information on Carbon Monoxide poisoning, food safety, immunizations, and any other health risk associated with floods.

Prepare to provide technical assistance to assure safe and sanitary disposal of household refuse and wastewater in the event of a flood, procedures for utility shut offs, and prevention of wastewater backup.

Prepare to serve as a liaison with health care providers and provide technical assistance to local first responders.

Review and update plans for coordination of response to:

- Mass fatalities and mortuary services;
- Environmental remediation; and
- Follow-up care to individuals impacted by the incident.

Prepare to assist healthcare facilities with such needs as backup power, relocation of patients and medical supply needs.

Prepare to request and coordinate supplemental medical personnel through the Emergency System for Advance Registration of Volunteer Health Professionals (ESAR-VP) system.

Prepare to coordinate the evacuation and sheltering of patients with medical needs.

Public Information Officer

Assist Emergency Manager in maintenance of media contact information.

Review/develop canned messages.

Review press release template.

Prepare to develop and maintain talking points.

Prepare for press briefing/conferences.

Red Cross

Prepare to coordinate with voluntary agencies to provide shelters and provisions for evacuated people.

Prepare to deliver essential items (ex. food, water, medicine) to isolated and/or special needs populations in coordination with Salvation Army and Public Health.

Prepare to coordinate delivery of mental health services and other assistance programs.

Work with Extension Office in maintaining relationship/listing of animal care facilities, veterinarians, and shelters for animals (pets and farming).

Salvation Army

Prepare to deliver essential items (ex. food, water, medicine) to isolated and/or special needs populations in coordination with Red Cross and Public Health.

Sheriff's Department/Law Enforcement

Maintain awareness of the emergency snow routes which may be utilized as evacuation routes.

Prepare to execute road closures/openings and/or establishment of alternate routes based on analysis from the Burleigh County Highway Department.

Prepare to establish traffic control on main roadways.

Prepare to assist with evacuations and search and rescue operations.

Preserve law and order.

Phase 2—Response

(Task/Responsibility listed by agency)

All Entities

Assist in warning the public.

Collect, evaluate, document, and disseminate documents necessary to support incident response.

Ambulances

Coordinate medical triage at incident scene.

Coordinate incident scene decontamination procedures with fire department as necessary.

Communicate and coordinate with local hospitals for treatment.

Burleigh County Water Resource District

Analyze river stage, stream flow conditions and weather forecasts and coordinate with the Emergency Operations Center regarding identification of potential flood impact areas or imminent water retention structure failure.

Provide technical support to local officials in support of flood fighting and recovery efforts.

Central Dakota Communications Center (911)

Broadcast emergency information on the Emergency Alert System and/or automatic notification system.

Chaplaincy

Assist Public Health, Red Cross, and Salvation Army to provide disaster mental health counseling and critical incident stress debriefings as needed.

Emergency Management/Emergency Operations Center

Analyze weather outlooks, watches and warnings that may impact flood response and disseminate information to stakeholders.

Activate the Emergency Operations Center as necessary.

Coordinate local resources assigned to assist with response and recovery efforts.

Assess incident impacts, coordinate resource needs and response and recovery efforts with EOC personnel.

Provide liaison with state, federal, local, private, and volunteer organizations.

Collect, evaluate, document, and disseminate information necessary to support incident response.

Coordinate with Public Information Officer to establish a Joint Information Center as necessary.

Assist Public Information Officer with the following:

- Disseminate emergency information to the public (safety precautions, road closures, evacuation routes, and any additional actions).
- Provide updates as appropriate.
- Schedule media conferences as necessary.

Request aviation support for aerial reconnaissance and damage assessment needs as necessary.

Extension Service

Provide guidance regarding animal welfare issues (ex. feeding, disposal, medical care, etc.) in coordination with local veterinarians and emergency management.

Coordinate shelters or re-location areas for livestock and pets.

Coordinate emergency feed distribution for livestock with the ND Department of Agriculture.

Provide guidance to producers.

Fire Departments

Maintain awareness of road closures/openings and/or establishment of alternate routes.

Maintain on-scene control and perimeter.

Coordinate incident scene decontamination procedures with the ambulances as necessary.

Assist Sheriff's Department in designation of evacuation routes.

Ensure fire security in evacuated areas.

Perform search, rescue, and evacuation in the immediate vicinity of the incident.

Geographic Information System (GIS)

Develop event-based maps for:

- Inundated areas
- Road closures
- Alternate routes
- Evacuated areas

Maps to be utilized for press briefings/conferences and to be posted on the website.

Highway Department/Public Works

Monitor creek/river levels.

Pre-position equipment and provide increased support to areas of potential flood impact or relocate resources to impacted areas.

Support flood preparation, response, and recovery operations, as necessary (i.e., material hauling, dike maintenance, pumps, generators, barricades, etc.).

Coordinate with the Burleigh County Sheriff's Department to determine the need for road closures/openings and relay information to the Emergency Operations Center. Maintain listing of road closures/openings on the Burleigh County Website.

Provide emergency signs, regulatory devices, and barricades, as well as identify alternate traffic routes.

Assist with debris removal and road repairs, as needed.

Provide survey documentation of the flood event (i.e., high-water marks, road failures, etc.) to assist in developing future response efforts.

Inspections

Provide power outage and repair status reports to the Emergency Operations Center.

Be prepared to coordinate with homeowners, electrical companies, electrical engineers, and power supply companies regarding outages.

Help restore the potable water supply and wastewater disposal systems.

Provide technical assistance to licensed Plumbing Contractors and homeowners regarding procedures for prevention of wastewater backup and water service shut-off to prevent cross connection.

Public Health/Environmental Health

Provide information on Carbon Monoxide poisoning, food safety, immunizations, and any other health risk associated with floods.

Provide coordination for the delivery of safe (potable) alternate water supplies and temporary water systems.

Provide technical assistance to ensure safe public and private drinking water supplies and waste disposal.

Provide technical assistance to assure safe and sanitary disposal of household refuse and wastewater in the event of a flood, and procedures for utility shut offs and prevention of wastewater backup.

Serve as a liaison with health care providers and provide technical assistance to local first responders.

Coordinate response to:

- Mass fatalities and mortuary services;
- Environmental remediation; and
- Follow-up care to individuals impacted by the incident.

Assist healthcare facilities with backup power, relocation of patients, and medical supply needs.

Coordinate the request for supplemental medical personnel through the Emergency System for Advance Registration of Volunteer Health Professionals (ESAR-VP) system

Coordinate the evacuation and sheltering of patients with medical needs.

Assist Chaplaincy, Red Cross, and Salvation Army to provide disaster mental health counseling and critical incident stress debriefings as needed.

Assist with Red Cross, voluntary agencies, and Salvation Army to provide shelters and provisions for evacuated people.

Assist with delivery of essential items (ex. food, water, medicine) to isolated and/or special needs populations in coordination with Red Cross and Salvation Army.

Public Information Officer

Disseminate emergency information advising the public of safety precautions, possibility of evacuation, appropriate routes, and any additional actions.

Provide updates as appropriate.

Schedule media conferences as necessary.

Red Cross

Coordinate with voluntary agencies, Public Health, and Salvation Army to provide shelters and provisions for evacuated people.

Coordinate delivery of essential items (ex. food, water, medicine) to isolated and/or special needs populations in coordination with Salvation Army and Public Health.

Assist Chaplaincy, Public Health and Salvation Army to provide disaster mental health counseling and critical incident stress debriefings as needed.

Establish pet and livestock shelters in coordination with the Extension Service and Emergency Management.

Salvation Army

Deliver essential items (ex. food, water, medicine) to isolated and/or special needs populations in coordination with Red Cross and Public Health.

Sheriff's Department/Law Enforcement

Determine the need for road closures/openings and/or establishment of alternate routes based on analysis from the Burleigh County Highway Department.

Conduct traffic control on main roadways as necessary.

Assist with evacuations, search, and rescue operations, and or extraction of stranded people.

Preserve law and order.

States Attorney

Provide technical assistance to the Emergency Operations Staff with interpretations of related legal issues.

Other Agencies

Provide support within the scope of agency services including, but not limited to, the following:

- Informational support to the Joint Information Center (JIC).
- Continuity of operations and continuation of essential services.

Phase 3—Recovery

(Task/Responsibility listed by agency)

Burleigh County Water Resource District

Assist community in developing floodplain management capabilities pursuant to the National Flood Insurance Program.

Provide technical and/or cost-share assistance with recovery or water restoration control projects, such as rebuilding dikes, irrigation projects, bank stabilization, channel repair, dikes, and dams, etc.

Provide coordination with State and Federal agencies related to possible assistance in restoration of water resource facilities.

Chaplaincy

Assist Red Cross, Public Health, and Salvation Army to provide disaster mental health services and monitoring as necessary.

Emergency Management/Emergency Operations Center

Assist Public Information Officer in the dissemination of information regarding re-entry process.

Coordinate disaster recovery programs with the ND Department of Emergency Services.

Coordinate resources assisting with recovery efforts.

Assist with coordination of tasks required to provide unmet needs response to impacted urban and rural residents not meeting standard disaster relief/recovery criteria.

Extension Service

Determine eligibility for federal agricultural relief programs and coordinate as necessary with ND Department of Agriculture.

Fire Departments

Assist Sheriff's Department to ensure evacuated areas are safe for re-entry.

Assist Highway Department with debris removal.

Geographic Information System (GIS)

Develop maps of:

- Damage assessment project sites and impact areas

Highway Department/Public Works

Assist with damage assessment.

Repair damaged infrastructure.

Support local cleanup, and recover emergency signs, regulatory devices, and barricades.

Continue pumping of inundated areas to protect critical infrastructure.

Public Health/Environmental Health

Provide support as needed with environmental remediation to include assessment of impacts to:

- Municipal drinking water and wastewater facilities;
- Waste management operations;
- Water quality – surface and ground water contaminants; and
- Hazardous materials storage sites and controls.

Support efforts to provide follow-up health care to individuals impacted by the incident.

Provide enhanced surveillance measures.

Coordinate the repatriation of patients and residents with medical needs to their normal health and medical care systems.

Assist Red Cross, Salvation Army, and Chaplaincy to provide disaster mental health services and monitoring as necessary.

Public Information Officer

Disseminate information regarding re-entry process.

Red Cross

Assist in the transportation needs of shelter evacuees returning to their homes.

If homes have been damaged, determine the long-term housing requirements.

Provide clean-up kits and volunteer assistance.

Assist Chaplaincy, Public Health, and Salvation Army to provide disaster mental health services and monitoring as necessary.

Salvation Army

Assist Chaplaincy, Public Health, and Red Cross to provide disaster mental health services and monitoring as necessary.

Sheriff's Department/Law Enforcement

Ensure evacuated areas are safe for re-entry.

Establish traffic control for return of evacuees.

Assist Highway Department/Public Works in recovering barricades and any other barriers utilized.

Other Agencies


Provide support within the scope of agency services including, but not limited to:

- Damage assessment
- Cleanup efforts
- Disaster relief programs

IV. Command and Control

Initial command and control will be local with on-scene incident command. Further guidance will be provided upon dispatch order. The Emergency Operations Center, as configured in the organizational chart below, will coordinate local requests for assistance with the appropriate agencies.

Note: Agencies within the incident command structure may vary based on the event.



V. Communications

Communications outlined in the Burleigh County Emergency Operations Plan apply to this annex.

VI. Media Release Information

Flood Alert

Residents between/or around _____ need to prepare for potential flooding. Please consider proactive measures such as sandbagging and moving items from basements to higher levels.

Evacuation—Voluntary

A voluntary evacuation for your area has been requested. Residents in the _____ area are strongly encouraged to evacuate as a precautionary measure due to the rising waters and unpredictable nature at this time.

Evacuation—Mandatory (*effective August 1, 2013*)

A mandatory evacuation has been ordered by the Burleigh County Commission. Flooding is presenting a significant risk to life. Evacuate immediately.

Re-Entry

Emergency Management is announcing that all the _____ areas will be open at _____.

Only residents and legitimate contractors will be allowed in the area. Be prepared to show proof of residency or contractor identification.

A checkpoint has been established at _____.

American Red Cross will have clean-up kits available at _____. If you are not current, within the last ten years, with a tetanus immunization and experiencing any cuts or wounds, see your local physician or local Public Health Unit.

Roads Closed

The Burleigh County Highway Department has closed and/or barricaded many roads due to water. Road closure maps are included and available on our website. There is a high probability of future road closures to include: _____. Emergency services are compromised due to the number of road closures.

Residents are advised to exercise extreme caution when travelling in rural Burleigh County. **Do not drive into areas where water tops the roadway!** Citations will be issued to anyone who travels on a closed road or bypasses barricades.

Roads Remain Closed

_____ will remain closed until further notice. Water is off the road making the road appear safe for travel; however, engineers have observed structural failures. Thorough inspection and repairs will take place after water recedes completely away from the road.

Again, _____ remains closed until further notice.

VI. Media Releases (cont.)

Sandbag Disposal

The following site has been established for residents to drop off their unneeded sandbags.

Location:

Map/Directions:

Local officials are very appreciative of the volunteerism and teamwork involved to fill and place the sandbags.

Sandbagging Operation—Indoor

Burleigh County has made sandbags and sand available for citizens experiencing residential flooding. Please bring your own work gloves and shovel. The operations start _____ and will run until _____.

Location:

Time:

Cost: Free (citizen fills bag with sand provided)

Sandbagging Operation—Outdoor

Burleigh County has made sandbags and sand available for citizens experiencing residential flooding. Please bring your own work gloves and shovel. The operations start _____ and will run until _____.

Location:

Time:

Cost: Free (citizen fills bag with sand provided)

Sandbags

Sandbags are available for pickup at _____ on a 24/7 basis and will also be available at _____.

Travel Advisory

Burleigh County officials want to make citizens aware of potentially dangerous rural road conditions. Due to snow melt, various county and township roads have water flowing over them. **Do not drive into areas where water tops the roadway!**

The Burleigh County Highway Department is barricading the most severe roads; however, water over the road can cause a washout at any time. Residents are urged to take extreme care, especially when driving at night.

VI. Media Releases (cont.)

Volunteers

Volunteers are being requested to help fill sandbags. You must be 18 years of age or older.

Volunteers are being asked to park at _____ and enter door _____ to register and receive instructions. Please wear work clothes and bring gloves.

VII. Resources

The Incident Commander will evaluate local assets and determine additional resource requirements in coordination with the Emergency Operations Center. The Burleigh County Emergency Operations Plan contains a Resource Section for equipment and services which will assist in providing resources in the most expedient means possible.

The Incident Commander will coordinate needs with the Emergency Operations Center. After local resources and mutual aid have been exhausted, resources will be requested from the State.

Local agencies should support both internal and external resource needs during an emergency. The following is a summary of logistical support based on the Emergency Support Functions (ESFs):

ESF 1 – Transportation: Each agency will support the transportation needs of its employees through agency vehicle resources. External transportation needs will be filled upon request by the Emergency operations Center.

ESF 2 – Communications: Each agency will support the communications needs of its agency through radio, cellular, landlines, WebEOC, internet and other means of communications. Agencies with internal communications will support their own requirements. Central Dakota Communications Center (911) is responsible for maintenance and repair of infrastructure equipment and tower sites. External communication needs will be filled upon request by the Emergency Operations Center.

ESF 3 – Public Works and Engineering: Public works and engineering agencies will provide support for signage and roadblocks. Other areas of support include debris removal and maintenance of ingress and egress for first responders.

ESF 4 – Firefighting: Initial firefighting operations remain the responsibility of local responders and will follow normal local protocol.

ESF 5 – Information and Planning: During an emergency or disaster, information will be collected, analyzed, processed, and disseminated to conduct deliberate action planning to assist the whole community.

ESF 6 – Mass Care, Emergency Assistance, Temporary Housing, and Human Services: When required, local shelters in accordance with local plans will be used as the first level of response. Local and voluntary organization resources will be used based upon availability.

ESF 7 – Logistics: Agencies requiring resources not readily available through the local incident command system should contact the Emergency Operations Center.

ESF 8 – Public Health and Medical Services: Local assets will be used based on availability and will follow local protocols.

ESF 9 – Search and Rescue: Initial search and rescue operations will be the responsibility of local responders and follow local protocols.

ESF 10 – Oil and Hazardous Materials Response: Any agency representative encountering a hazardous material must report the situation to the Central Dakota Communications Center (911 center) for reporting and response from local fire departments.

ESF 11 – Agriculture and Natural Resources: Agencies will be required to subsist on the local economy until such time central feeding locations are secured by the Incident Commander. Animal and agricultural assistance will be provided locally as described in the Emergency Operations Plan.

ESF 12 – Energy: Agencies are responsible for securing their own fuel supplies. Lack of available resources may be assisted through the Emergency Operations Center.

ESF 13 – Public Safety and Security: Local public safety and security resources may be required to support traffic control, security, law enforcement liaison and criminal investigation efforts, as well as assist with evacuation, at the request of the local Incident Commander.

Safety is paramount. Each agency is encouraged to secure a Safety Officer for the conduct of operations.

ESF 14 – Cross-Sector Business and Infrastructure: Local support will be utilized and supplanted with coordination through the ND Department of Emergency Services to support stabilization of key supply chains and community lifelines.

ESF 15 – External Affairs: Agencies responding to the incident are required to coordinate media inquiries with the Public Information Officer. Follow your agency PIO protocols for inquiries specific to your agency.

Appendix 1: Flood Category Definitions

Action Stage: The stage which, when reached by a rising stream, represents the level where the National Weather Service or a partner/user needs to take some type of mitigation action in preparation for possible significant hydrologic activity.

Flood Categories: Terms defined for each forecast point which describe or categorize the severity of flood impacts in the corresponding river/stream reach. Each flood category is bounded by an upper and lower stage. The severity of flooding at a given stage is not necessarily the same at all locations along a river reach due to varying channel/bank characteristics or presence of levees on portions of the reach. Therefore, the upper and lower stages for a given flood category are usually associated with water levels corresponding to the most significant flood impacts somewhere in the reach.

Minor Flooding: Minimal or no property damage, but possibly some public threat.

Moderate Flooding: Some inundation of structures and roads near stream. Some evacuations of people and/or transfer of property to higher elevations.

Major Flooding: Extensive inundation of structures and roads. Significant evacuations of people and/or transfer of property to higher elevations.


Record Flooding: Flooding which equals or exceeds the highest stage or discharge at a given site during the period of record keeping.

Note: All three of the lower flood categories (minor, moderate, major) do not necessarily exist for a given forecast point. For example, at the level where a river reaches flood stage, it may be considered moderate flooding. However, at least one of these three flood categories must start at flood stage.

Source: National Weather Service website

Appendix 2: Apple Creek

Latitude: 46.794444° N, Longitude: 100.656944° W, Horizontal Datum: NAD83/WGS84



Flood Impacts


13'	Upstream of gage, township roads become water covered when the gage is 13-15 feet.
15'	Water floods low lying area in the immediate vicinity of creek.
15.3'	Old Highway 10 or Apple Creek Road starts to flood.
16'	Large amounts of farmland floods. Houses near Apple Creek become threatened. Apple Creek Road becomes covered with water about 100 feet west of bridge.
17'	Historically speaking, an ice jam near the confluence of Apple Creek and the Missouri River created flood damage for many houses and Prairie Rose Elementary School and backed water up to a stage of 17 ft at the gage. Flooding not related to an ice jam does inundate Lincoln Road and a smaller number of homes.

Source: National Weather Service [website](#)

Apple Creek Stages and Response

Stage	Response Action	Potential Impacts
Beyond local capability	All is handled locally unless the Missouri River is frozen	
Spring Flood Outlook	Dependent upon outlook: <ul style="list-style-type: none"> • Pre-fill and stage sandbags • Indoor sandbag operation • Outdoor sandbag operation • Community Watch Program (review accessibility and function of marked water gage areas) • Consider Corps of Engineers request for technical assistance 	
13' – Action Stage	Periodic visual patrols and gage monitoring. Consider aerial reconnaissance. Key personnel alerted and information disseminated.	Below bank full conditions
13-15'	Possible pre-staging of sandbags. Prepare evacuation notices.	The creek is rising to its natural banks but has not spilled over into the floodplain. There may be some limited flooding in unprotected areas.
15' – Flood Stage, Minor Flooding	Activate Emergency Operations Center. Barricades/road closure signs placed. Publicize road closures. Possible evacuation notices.	The Creek has risen beyond its banks. Some low-lying farmland and roads are inundated. Apple Creek Road starts to flood, 80 th St SE, 158 th St NE, water floods low areas near the Creek (no properties threatened—just access)
16' – Moderate Flood Stage	Monitor bank erosion and areas of seepage/boils monitored and repaired as necessary. Possible evacuation notices.	The Creek has generally widened into the floodplain. 66 th St SE/Apple Creek Road floods and 119 th St SE
17' – Major Flood Stage	Final evacuation notices.	Homes in lower Falconer Estates Subdivision threatened (have water around them), Apple Creek Golf Course is flooded, Apple Valley Cooperative, Lagoon is in floodway and is no longer accessible, though not flooded.
17.16'		2009 crest
17.46' Record Flood		Creek is at the level of the flood of record in 1979.

Apple Creek Staff Gage Locations



Burleigh County Water Gaging Stations

The Burleigh County Highway Department has 14 Water Gaging Stations being monitored by employees, law enforcement and residents.

January 21, 2022

Staff 1: Located on Lincoln Road, approximately 1/2 mile east of Yegen Road, at the Apple Creek Bridge.

Staff 2: Located on 66th St SE, just south of Apple Creek Road, at the Apple Creek Bridge.

Staff 3: Located approximately 6 1/2 miles east of Bismarck on Hwy 10 at the Apple Creek Bridge.

Staff 4: Located on 158th St NE, approximately 1 mile north of the I-94 interchange at Menoken.

This is the first gage after the confluence of the east & west branches; however, there are some major tributaries yet to dump into the creek downstream from this location.

Staff 5: Located on 191st NE, approximately 1/2 mile north of 30th Ave NE; often referred to as the "Maher Box".

This is a unique location because the water will run in both directions. If the water is pushing east, this indicates that Apple Creek is on the rise and the McKenzie slough elevation is lower and will absorb extra water or store it, and that's a good thing. If the water is pushing west, Apple Creek may be falling to a point low enough that the McKenzie slough will drain back into the creek. It may also indicate a push coming from the Long Lake area into McKenzie Slough.

Staff 6: Located on 249th St NE, approximately 5 miles north of 30th Ave NE, or I-94; also referred to as the McKenzie haul road.

Staff 7: Located on 136th Ave NE, approximately 1/2 mile east of 275th St NE; commonly referred to as the Patterson Ranch Bridge.

Staff 8: Located on 184th St NE, approximately 1/2 mile north of 149th Ave NE; commonly referred to as the Harold McCormick Bridge.

Staff 9: Located on 201st Ave NE, (The Baldwin Road) approximately 1/2 mile east of 145th St NE; commonly referred to as the Doug Schonert Bridge.

Staff 10: Located on County Hwy 10 approximately 1 mile west of the town of McKenzie.

The reading on this gage simply indicates a rise or fall of the slough level at that location. In addition, one should note the water direction through the box culvert at this location: Flow to the north would indicate either a drop in the levels of Apple Creek allowing the slough to begin dumping water into that system, or it could also indicate a strong push of water from the Long Lake area. Water flowing to the south would indicate Apple Creek is still dumping (storing) water in the McKenzie Slough and the slough levels low enough to allow this. Either way, all the slough water will drain into Apple Creek at some point. Monitoring the other gaging sites would provide clarity as to what exactly is going on.

Staff 11: Located on 236th St SE, approximately 1/4 mile south of 34th Ave SE, (Lincoln Road); commonly referred to as the Wade Anderson Bridge.

This location is on the Long Lake Creek just before it dumps into the McKenzie slough. This water usually pushes up from Long Lake. The reading on this gage simply indicates a rise or fall of the creek level at that location.

Staff 12: Located on 275th St SE, approximately 1/4 mile north of 62nd Ave SE; commonly referred to as the Adams Bridge.


This location is on the Long Lake Creek. This water usually pushes up from Long Lake and dumps into McKenzie Slough. The reading on this gage simply indicates a rise or fall of the creek level at that location.

Staff 13: Located on Hwy 83, approximately 1/2 mile north of 102nd Ave SE, or just north of the Moffit County Shop.

This location is the first location on Long Lake Creek. The water usually pushes up from Long Lake and dumps into McKenzie Slough. The reading on this gage simply indicates a rise or fall of the creek level at that location.

Staff 14: Located on 223rd St NE between 43rd Ave NE and 136th Ave NE, approximately 3 miles north of 43rd Ave NE; commonly referred to as the Bliss Crossing.

Appendix 3: Low Water Crossings




Low Water Crossings within Burleigh County (County and Township Road Systems)

Prepared by:
Rodney Ness, Burleigh County Road Superintendent
February 2010

- Location 1:** 227th Ave NE, approximately ½ mile west of 26th St NE. This is on a Glenview Township roadway that crosses the northern reaches of Burnt Creek. This is the first major road crossing of the creek towards the north and has a paved overflow section. It is closed for a short period of time nearly every spring and after heavy rain fall events. All residential traffic is generated on the west side of the crossing and accesses from US Hwy 83 to the west during road closures. No residents live between the crossing and 26th St NE. Any traffic approaching from the east is easily detoured north & south on 26th St NE.
- Location 2:** 188th Ave NE, just west of 26th St NE. This is on a Glenview Township roadway that crosses Burnt Creek and has a paved overflow section. It is referred to as the Lenihan crossing. It is closed for a period nearly every spring and after heavy rain fall events. All residential traffic is generated on the west side of the crossing and accesses from US Hwy 83 to the west during road closures. Any traffic approaching from the east is easily detoured north & south on 26th St NE.
- Location 3:** 136th Ave NE, one mile east of 184th St NE. This is on a Burleigh County roadway and is located on the west branch of Apple Creek. It has a paved overflow section and is referred to as the Kershaw Crossing. Residents live on the west side of the crossing and can be accessed from the west on 184th St NE. Any traffic approaching from the east is easily detoured around to the north at a point one mile east of the crossing. No residents live in the mile east of the crossing. It is closed for long periods of time (more than 2 weeks) nearly every spring and after heavy rain fall events.
- Location 4:** 249th St NE, five miles north of 30th Ave NE. This is on a Sibley Butte Township roadway and is located on the east branch of Apple Creek. It has a paved overflow section and is referred to as the Bliss Crossing. Residents live on the south side of the crossing and can be accessed from the south on 249th St NE. Any traffic approaching from the north is easily detoured around east or west on 136th Ave NE at a point four miles north of the crossing. No residents live on 249th St NE between the crossing and 136th Ave NE. It is closed for long periods of time (more than 2 weeks) nearly every spring and occasionally after heavy rain fall events.

Appendix 4: Missouri River

Latitude: 46.814167° N, Longitude: 100.821389° W, Horizontal Datum: NAD83/WGS84



Flood Impacts

12.5'	Unusually high river stage for this reach of the Missouri River. Residents are encouraged to pay close attention to NWS updates, local media, and local emergency management for information concerning why the river is this high and its potential for further rises.
14.5'	Flooding of rural areas begins. Inundation of croplands and the potential closure of local boat ramp access is likely. Riverbank erosion rates increase and cause unstable shorelines. If water levels are the result of an ice jam south of Bismarck, water levels will be relatively higher near the jam and cause concerns for residents south of Fox Island.
16'	Before 16 feet, older homes in the Fox Island area may experience flooding. Homes built to this level are at less risk but may have water surrounding them. Access to Fox island is difficult because of water on Riverwood Drive. No significant threat to the incorporated cities of Bismarck and Mandan.
17'	City of Bismarck experiences flooding of streets in low-lying areas if not protected. Access to Fox Island and other rural developments becomes increasingly difficult. Access to homes in the Briardale, Hoge Island, Ponderosa, and Misty Waters developments north of Bismarck may be cutoff and some homes are taking on water if not protected.
18'	Homes in the low-lying incorporated parts of Bismarck if not protected risk inundation.
20'	Water begins to appear on the lowest stretches of River Road north of Bismarck.
22'	Significant number of homes and businesses on both sides of the river should be expected to flood if not protected.

Source: National Weather Service [website](#)

Missouri River Stages and Response - Ice Jam Scenario

Ice Jam	Response Action
Burleigh County	<p>South of I-94:</p> <ul style="list-style-type: none"> • Close Tavis Road Pump Control Structure (Page 23) and Mills Avenue Gate (Page 19). • Close gates on Fontenelle Dr and Farwest Dr (Page 22). Plug culvert on Whisper Drive (Page 21). • Plug double culverts under S Washington St (Page 26) • Plug 12th Street Southeast culverts (Page 30). • Consider implementing ice dusting.
City of Bismarck (Page 32)	<p>12' Stage at Bismarck Gage or a corresponding water surface elevation of 1631.5 NAVD 88 in south Bismarck</p> <ul style="list-style-type: none"> • Ice Jam Alert: Issue a public announcement for potential flooding and prepare a call for sandbagging volunteers. • Closure of stormwater structures. <ul style="list-style-type: none"> ○ Coordinate with Burleigh County on the closure of the Whisper Drive and Tavis Road gate structures. ○ Closure of the four gates in three structures on Mills Avenue (Gates to be operated by City). ○ Closure of the one gate on Riverwood Drive and two gate valves on the east side of the parking lot between the Southport Loop entrances (Gate to be operated by City). ○ Ensure the Tavis Road pumping plant is fully operational. ○ Ensure that the Washington Street gate is operational and could be closed in an emergency. ○ Additional pumps and plugs will be called for to provide additional pumping capacity as needed to control internal drainage <p>14' Stage at Bismarck Gage or a corresponding water surface elevation of 1633.0 NAVD 88 in Southport Bay</p> <ul style="list-style-type: none"> • Riverwood Drive <ul style="list-style-type: none"> ○ To prevent overtopping of Riverwood Drive at the Southport Loop South intersection, a small earthen levee or sandbag levee will be constructed between the existing berm and the high ground. Approximately 10,000 sandbags will be necessary for a levee with a width of six feet and an average height of 3 feet. This protection could also be constructed with a temporary flood barrier such as AquaFence. ○ The north driveway into the Pier parking lot is approximately 0.7-feet lower than the berm but is above the 2009 ice jam stage. However, this driveway shall be monitored during the event. ○ Plug the three storm water outfalls on Riverwood Drive in the Southport area. • Tavis Road/England St <ul style="list-style-type: none"> ○ Coordinate with Burleigh County to monitor Tavis Road and England Street and possibly mobilize sandbagging to prevent overtopping. • Close the four storm water outfall gates from Expressway Avenue north. • Install effluent pumping from the Wastewater Treatment Facility into the Tavis Road backwater area. • Mobilize volunteers to fill sandbags at EOC designated locations. • Depending on the location of the ice jam, it may be necessary to construct a contingency levee on Burleigh Avenue

Missouri River Stages and Response - Flooding Scenario

Beyond local capability	18' (forecasted Bismarck Gage reading)	
Spring Flood Outlook		
Dependent upon National Weather Service outlook and Garrison Dam forecast releases: <ul style="list-style-type: none">• Pre-fill and stage sandbags (move to indoor location)• Indoor and/or outdoor sandbag operations• Evaluate pumping plan• Review levee maintenance plan• Alert Community Watch Program• Consider aerial reconnaissance• Consider State request for:<ul style="list-style-type: none">○ Sandbags○ High water vehicle○ Corps of Engineers technical assistance, planning assistance, ice jam expertise/demolition, pumps• Review City of Bismarck Existing Protective Measures (Page 31)		
Stage	Response Action	Potential Impacts
9'	S Washington St (N side of General Sibley Park) plug west ditch double culverts. (Page 26)	Prevents water going west of Washington St.
11' (forecasted)	Close control structure at the corner of Whisper Drive and Woodland Drive and set up pumping equipment if needed (Page 21). Close control structures in Fox Island. Pumps will be needed to remove water trapped to the north of Far West Dr and Gallatin Lp (Page 22).	Fox Island area threatened. Water floods Fox Island interior ponds.
11' at gage AND 13'+ (forecasted)	Close Tavis Road Pump Control Structure and monitor water levels east of Tavis Road. (Page 23). Plug culverts under Mills Avenue in coordination with the City of Bismarck (Page 20).	Storm sewer flows from South Bismarck are restricted when flows reach 13'.
12' (forecasted)	Activate Emergency Operations Center. Stage barricades and road closure signs for deployment. Missouri River Correctional Center (MRCC) gates should be shut, and pumps set up to be used as needed (Page 25).	Protect MRCC.
12.5' – Action Stage	Unusually high river stage for this reach of the Missouri River. Residents are encouraged to pay close attention to NWS updates, local media, and local emergency management for information concerning why the river is this high and its potential for further rises.	

Stage	Response Action	Potential Impacts
12.5'	<ul style="list-style-type: none"> • Prepare evacuation notices. • Periodic visual patrols and gage monitoring. • Consider aerial reconnaissance. • Key personnel alerted and information disseminated. • Possible pre-staging of sandbags. • Monitor all control structures on Burleigh County Water Resource Board levees. • Review implementation of pumping with City of Bismarck 	<p>Below bank full conditions.</p> <p>Watering coming up on Fox Island Boat Ramp parking area.</p>
14'	<p>Review and implement pumping plan.</p> <p>Observe Sandy River Drive.</p>	
14.5' – Flood Stage	<p>Flooding of rural areas begins. Inundation of croplands and the potential closure of local boat ramp access is likely. Riverbank erosion rates increase and cause unstable shorelines. If water levels are the result of an ice jam south of Bismarck, water levels will be relatively higher near the jam and cause concerns for residents south of Fox Island.</p>	
15' City of Bismarck	<p>Close floodgates on the Channel at Washington Street. If the gates are not functioning properly, a secondary emergency plan shall be activated which will involve placing approximately 10,000 cubic yards of clay from the Bismarck Municipal Solid Waste Facility or another available site into the Channel to block the migration of Missouri River floodwaters upstream into the Channel</p> <p>Raising of Washington Street - An area south of Burleigh Avenue along Washington Street approximately 800 feet in length between cross sections W and X on the Missouri River Flood Insurance Re-Study maps indicates an area that may allow water to back up and potentially flood low lying areas north of this area. If Level III water levels are forecasted, the City will construct an earthen berm using either sandbags or clay depending on the availability of materials. Personnel from the City of Bismarck Public Works department will construct the berm. The berm will be constructed to a grade that will be adequate to control the 100-year flood event at this location. The berm will be monitored by Public Works personnel around the clock if the water level does exceed the current level of Washington Street in this area.</p> <ul style="list-style-type: none"> • Flooding in the unprotected (un-gated) south side of the City of Bismarck is a concern when stages reach 15+'. This includes the need to block storm sewers to prevent backwater flooding into adjoining streets and risk for inundation of properties and in some instances excessive infiltration into basements constructed below the Base Flood Elevation (BFE) is an issue. 	<p>The River is rising to its natural banks but has not spilled over into the floodplain. There may be some limited flooding in unprotected areas.</p> <p>Southport area impacted:</p> <ul style="list-style-type: none"> • Southport Marina • Gas Station • The Pier

Stage	Response Action	Potential Impacts
16' – Moderate Flood Stage	Before 16 feet, older homes in the Fox Island area may experience flooding. Homes built to this level are at less risk but may have water surrounding them. Access to Fox island is difficult because of water on Riverwood Drive. No significant threat to the incorporated cities of Bismarck and Mandan.	
16' (forecasted) Burleigh County	<p>Barricades/road closure signs placed.</p> <p>Publicize road closures.</p> <p>Possible evacuation notices: review and implement for Briardale III and lower end of Hoge Island.</p> <p>Review and construct a temporary levee along the west bank of the Glenview Township Drainage Ditch (Page 10).</p> <p>Observe and plug two culverts on Sand Dune Lane and construct a temporary levee along the south side of 149th Avenue NW. Pumps may be needed to remove trapped water (Page 11).</p> <p>South Central Regional Water District pump heads and all pumping equipment will need to be secured with levees and pumps (Page 12).</p> <p>Existing berm north of Ponderosa Riverside Village should be monitored to ensure it is holding water to the north and west of this location (Page 14).</p> <p>Plug ditches on each side of Olive Tree Drive midway between Burnt Creek Loop and the Missouri River. Pumps may be needed to remove trapped water. (Page 15).</p> <p>Close culvert under Burnt Creek Loop north of Misty Waters Drive (Page 16).</p> <p>Plug culverts on south leg of Burnt Creek Loop (Page 17).</p> <p>Plug culverts on Burnt Creek Loop. Pumps will be needed to remove trapped water (Page 17).</p> <p>Plug culverts under 48th Avenue Southwest and set up pumping equipment to be used if needed. (Page 24)</p> <p>Construct a temporary levee along 12th St SE and 48th Avenue SE (Page 28).</p> <p>Construct a ring dike around Prairie Rose Elementary School on Oahe Bend (Page 29).</p>	<p>The River has risen beyond its banks.</p> <p>Emergency access impaired within and to the Fox Island area.</p>

Stage	Response Action
<p>16' (forecasted) City of Bismarck</p> <p>(Page 33)</p>	<p>Alert City Officials when river stage reaches 12.0 ft. concurrently with a forecast of future stage increases.</p> <p>Activate Emergency Operations Center.</p> <p>Mobilize volunteers to fill sandbags at EOC designated locations.</p> <ul style="list-style-type: none"> • Area north of Expressway Avenue <ul style="list-style-type: none"> ○ The existing ground through this area is higher than stage 16 but shall be monitored closely during such event. ○ Close four storm water outfall gates from Expressway Avenue north. • Riverwood Drive <ul style="list-style-type: none"> ○ To prevent overtopping of Riverwood Drive at the Southport Loop South intersection, a small earthen levee or sandbag levee will be constructed between the existing berm and the high ground. Approximately 10,000 sandbags will be needed for a levee with a width of six feet and an average height of three feet. This protection could also be constructed with a temporary flood barrier such as AquaFence. ○ The north driveway into the Pier parking lot is approximately 0.7-feet lower than the berm but is above the 16-stage. However, this driveway shall be monitored during the event. ○ Plug three storm water outfalls on Riverwood Drive in the Southport area. ○ Closure of the one gate on Riverwood Drive and two gate valves on the east side of the parking lot between the Southport Loop entrances (Gates to be operated by City). • Closure of the four gates in three structures on Mills Avenue (Gates to be operated by City). • Coordinate with Burleigh County on the closure of the Whisper Drive and Tavis Road gate structures. • Ensure the permanent pump station at Tavis Road is fully functioning and that the emergency generator is available. • Ensure the backup flood control gate at Washington Street is fully functioning. • Internal Drainage <ul style="list-style-type: none"> ○ See the Internal Drainage plan common to both the 16-foot and 20-foot open water stages. The Internal Drainage plan includes the gate closures. (Pages 35-36) • Sandbags will be provided for any properties outside of the protected area. Sandbags will be provided in cooperation with Burleigh County. • During the flood. <ul style="list-style-type: none"> ○ Provide dike patrols. ○ 24-hour alert for changing conditions. <p>Deliver sandbags to local problem points.</p>

Stage	Response Action	Potential Impacts
16+’		Threat to critical infrastructure.
16.11’	2009 ice jam crest at Bismarck USGS Gage (03-24-09)	
17’	Corps of Engineers’ flood stage.	
18’ – Major Flood Stage	Homes in the low-lying incorporated parts of Bismarck, if not protected, risk inundation.	
18’ (forecasted) Burleigh County	<p>Monitor bank erosion and areas of seepage/boils monitored and repaired as necessary.</p> <p>Continue to review and implement evacuation notices.</p> <p>Plug culverts under West Harbor Drive and construct a temporary levee on West Harbor Drive. Levee should be constructed to allow residents to drive on the levee and access homes to the west of the roadway. In addition, the County should set up pumping equipment to be used if needed. (Page 18)</p>	The River has generally widened into the floodplain.
19.25’	2011 Flood Crest at Bismarck USGS Gage (07-01-11)	


Stage	Response Action
<p>20' (forecasted) City of Bismarck</p> <p>(Page 34)</p>	<p>Alert City Officials when river stage reaches 12.0 ft. concurrently with a forecast of future stage increases.</p> <p>Activate Emergency Operations Center.</p> <p>Mobilize volunteers to fill sandbags at EOC designated locations. These bags will be used for specific protection points identified by this response plan.</p> <ul style="list-style-type: none"> • Area north of Expressway Ave <ul style="list-style-type: none"> ○ This area was identified as Segment A in the 2011 open water flood event. Only a small portion of the temporarily constructed protective measures had water against the levee at the peak river stage of 19.3-feet. A small earthen levee or HESCOE barriers will be constructed in this reach along the 2011 alignment. • Riverwood Drive <ul style="list-style-type: none"> ○ This area was identified as Segment B in the 2011 open water flood event. The newly constructed grade raise allows for the installation of HESCOE barriers on the west side of the roadway while maintaining access on Riverwood Drive. • Southport Levee and Closure of Southport Inlet <ul style="list-style-type: none"> ○ An earthen barrier or HESCO barrier or sandbag levee will be constructed along the north side of Southport Loop to the river side of Southport and extended south to the bay inlet. Approximately 175,000 sandbags will be needed for a levee with a width of eight feet and an average height of four feet. ○ The culvert through the north leg of Southport Loop that provides freshening water to Southport Bay will be plugged for the duration of the flood. ○ The property located on the northwest corner of Southport will receive sandbags for flood protection due to the proximity to the bank on the north side of the structure. ○ The Southport inlet will be closed with a sheet piling plug. Approximately 7,000 square feet of sheet piling will be needed. ○ An earthen, HESCO, or sandbag barrier will be constructed along the westerly perimeter of Southport along the northern portion of Harbor Drive immediately south of the Southport Bay inlet. Approximately 12,000 sandbags will be needed for a levee with a width of four feet and an average height of two feet. Burleigh County has identified construction of protective measures on Harbor Drive south to Mills Avenue, in their Flood Annex Plan. • Whispering Bay Development <ul style="list-style-type: none"> ○ An earthen barrier or HESCO barrier or sandbag levee will be constructed along the west side of Langer Lane with the final location being coordinated with Burleigh County. ○ The Whispering Bay inlet will be closed with an earthen plug. Approximately 7,500 CY of material will be needed. • Coordinate with Burleigh County on the closure of the Whisper Drive and Tavis Road gate structures and the operation of the Tavis Road pumping station. • Internal Drainage <ul style="list-style-type: none"> ○ See the Internal Drainage plan common to both the 16-foot and 20-foot open water stages. The Internal Drainage plan includes the gate closures. (Pages 35-36) ○ Operate the Tavis Road Pump Station for the duration of the flood event to control internal drainage. ○ Ensure the backup flood control gate at Washington Street is fully functioning. • Bismarck property not protected <ul style="list-style-type: none"> ○ Sandbags will be provided for any properties outside of the protected area in coordination with Burleigh County.

Stage	Response Action	Potential Impacts
	<ul style="list-style-type: none"> • During the flood. <ul style="list-style-type: none"> ○ Provide dike patrols. ○ 24-hour alert for changing conditions. ○ Deliver sandbags to local problem points 	
31.6' Record Flood	River is at the level of the flood of record in 1883.	



BURLEIGH COUNTY, NORTH DAKOTA GLENVIEW TOWNSHIP DRAINAGE DITCH

N
02/09/2017



0 500 1,000 Feet

Action Plan

Action Level: 15 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department


Action: Review and construct a temporary levee along the west bank of the Glenview Township Drainage Ditch.

History: During the 2011 flood event water flooded through the west bank of the Glenview Township Drainage Ditch and proceeded in flooding areas to the south and west of State Highway 1804. The low areas in the west bank may be plugged to prevent flooding. This action will need to take place early in the flood fighting efforts. If the area is wet or flood waters have saturated the area it may not be possible to move material into the low areas.



BURLEIGH COUNTY, NORTH DAKOTA
149TH AVE NW

N
01/18/2013



0 250 500 Feet

Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Plug culverts on Sand Dune Lane and construct a temporary levee along the south side of 149th Avenue NW. Pumps may be needed to remove trapped water.


History: During the 2011 flood event, water backed up through the culverts under Sand Dune Lane and came overland from the south across 149th Avenue NW. At a gage reading of 16.5' the flooding isolated the homes at the end of 149th Avenue and forced them to have boating access only. At a gage reading of 19' flooding will take place from the north and residents will lose roadway access. However, plugging culverts and constructing levee should allow them to maintain roadway access between 16.5 feet and 19 feet.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA
SOUTH CENTRAL REGIONAL WATER DISTRICT

N
01/18/2013



Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: South Central Regional Water District / Burleigh County Highway Department

Action: Pump heads and all pumping equipment will need to be secured with levees and pumps.

History: During the 2011 flood event, the County assisted the South Central Regional Water District in constructing levees around pumping equipment. Failure at this location will result in water shortages and outages for a large portion of rural Burleigh County. Levees and pumps will need to be maintained throughout the flooding event.


0 250 500 Feet

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA BURNT CREEK CULVERT

N
01/18/2013



0 250 500 Feet

Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: North Dakota Department of Transportation


Action: Plug culvert through the south bank of the Burnt Creek Drainage Ditch.

History: During the 2011 flood event the DOT plugged a culvert that goes through the south bank of the Burnt Creek Drainage Ditch. If the culvert is not plugged water from the Drainage Ditch will go through the south bank and flood areas to the southwest of Highway 1804.



BURLEIGH COUNTY, NORTH DAKOTA
BERM NORTH OF PONDEROSA RIVERSIDE VILLAGE

N
01/18/2013



0 500 1,000 Feet

Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Existing berm should be monitored to ensure that it is holding water to the north and west of this location.

History: During the 2011 event, some leakage took place along the this berm at flood stage 18'. Filling of lower areas at the north end and the west end of the berm plugged the berm and no additional problems were observed to flood stage 19.25'.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated herein.



BURLEIGH COUNTY, NORTH DAKOTA OLIVE TREE DR

N
01/18/2013



Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Plug the ditches on each side of Olive Tree Drive midway between Burnt Creek Loop and the Missouri River. Pumps may be needed to remove trapped water.

History: During the 2011 flood event, water backed up along Olive Tree Drive and added water to the Ponderosa Riverside Village subdivision. At a gage reading of 16.5', the flooding started to flow east into the subdivision. Once the ditches were blocked, no additional water entered this area.


0 250 500 Feet

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA BURNT CREEK LOOP CULVERT

N
01/18/2013



0 250 500 Feet

Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Plug the culvert under Burnt Creek Loop just north of Misty Waters Drive.


History: During the 2011 flood event, water backed up through the ditch (just north of the Misty Waters Subdivision) into the Burnt Creek Loop ditch which contributed to flooding on the east side of Burnt Creek Loop. Water reached Burnt Creek Loop at a gage reading of 17.0'. After plugging the ditch, no additional problems were observed up to flood stage 19.25 feet.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA SOUTH LEG OF BURNT CREEK LOOP

01/18/2013



Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Plug culverts on Burnt Creek Loop. Pumps will be needed to remove trapped water.


History: During the 2011 flood event, water backed up over Burnt Creek Loop (from the south) and flooded subdivisions north of the roadway. In the summer of 2013, Burleigh County reconstructed and raised the grade of Burnt Creek Loop and Misty Waters Drive. The new grade matched the flood stage reading of 20 feet. During future flooding events, the culverts under Burnt Creek Loop need to be plugged to reduce the chance of flooding north of Burnt Creek Loop.

0 250 500 Feet

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.

BURLEIGH COUNTY, NORTH DAKOTA
WEST HARBOR DRIVE

02/09/2017



Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Plug culverts under West Harbor Drive and construct a temporary levee on West Harbor Drive. Levee should be constructed to allow residents to drive on the levee and access homes to the west of the roadway. In addition, the County should set up pumping equipment to be used if needed.

History: During the 2011 flood event, no work was done north of Mills Avenue. In 2014 West Harbor Drive was raised to prevent flooding to a gage reading of 18'. Construction of a temporary levee on West Harbor Drive will protect homes to the east of West Harbor Drive. If the levee is constructed, water on the east side of the road will need to be pumped back across the roadway.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.




BURLEIGH COUNTY, NORTH DAKOTA MILLS AVENUE GATE

02/19/2020



0 250 500 Feet



Action Plan

Action Level: 11 feet (Bismarck gage reading)

Responsibility: City of Bismarck in coordination with the Burleigh County Highway Department

Action: Close gate under Mills Avenue.


History: During the 2011 flood event, water flowed around Fox Island under Mills Avenue and flooded areas east of Fox Island. At a gage reading of 11 feet, the culvert gate should be closed to reduce the chance of flooding east of Fox Island.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA MILLS AVENUE CULVERTS

N
04/10/2023



Action Plan

0 250 500 Feet


Action Level: 13 feet (Bismarck gage reading)

Responsibility: City of Bismarck in coordination with the Burleigh County Highway Department

Action: Plug culverts under Mills Avenue.

History: During the 2011 flood event, culverts under Mills Ave were plugged to ensure we did not get flooding from the north side of Fox Island. At a gage reading of 13 feet, the culverts should be plugged to reduce the chance of flooding Fox Island.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



Action Plan

Action Level: 11 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Gate at the control structure at the corner of Whisper Drive and Woodland Drive should be closed and pumping equipment should be set up to use if needed.



History: During the 2011 flood event, water backed up through the culvert under Whisper Drive and flooded areas to the east of Whisper Drive. The County plugged the culvert and pumped water across Whisper Drive into Whisper Bay throughout the whole flood. The new control gate allows the County to stop water from coming into the neighborhood under Whisper Drive and pump water from the east to Whisper Bay in the same structure.

0 250 500 Feet



BURLEIGH COUNTY, NORTH DAKOTA FOX ISLAND

02/18/2020



Action Plan

Action Level: 11 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department and Burleigh County Water Resource District

Action: Close gates. Pumps will be needed to remove water trapped to the north of Far West Drive and Gallatin Loop. This work should be done as part of the Fox Island Control – Operation and Maintenance Manual.

History: In 2019 gates were installed on Far West Drive and Gallatin Loop as part of the Fox Island Flood Control Project. Roadways were raised and a berm was constructed along the west edge of Fox Island to protect this area to 20 feet Bismarck gage reading.

0 500 1,000 Feet



Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA

TAVIS ROAD PUMP CONTROL STRUCTURE

07/22/2021



Action Plan

0 250 500 Feet

Action Level: 11 feet (Bismarck gage reading) AND
13 feet or higher (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department and City of Bismarck

Action: Close gate structure and monitor water levels east of Tavis Road.
City of Bismarck will provide backup generators as needed.



History: During the 2011 flood event, water flowed around Fox Island under Tavis Road and flooded areas east of Fox Island. During future flooding events; the County/City should close the gate at Tavis Road. If water levels east of Tavis reach a gage reading of 13 feet, the County/City should start the pumps in order to reduce the chance of flooding east of Fox Island. The Tavis Pump Control Structure is not FEMA certified.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA 48TH AVENUE SW

N
01/14/2019



Action Plan




Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Monitor performance of flap gates under 48th Avenue SW and set up pumping equipment to be used if needed.

History: During the 2011 flood event, a temporary levee was constructed along 48th Avenue SW to prevent water from flooding areas to the north of 48th Avenue SW. In 2013 the County raised the grade of both 48th Avenue SW and Washington Street to protect the areas north and east of these roadways to a gage reading of 20'. During future events, the flap gates under 48th Avenue SW will need to be monitored and water will need to be pumped back across the roadway.

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



Action Plan

Action Level: 9 feet (Bismarck gage reading)

Responsibility: Burleigh County Highway Department



Action: Plug culverts under S Washington Street and set up pumping equipment to be used if needed.

History: During the 2011 flood event, a temporary levee was constructed along 48th Avenue SW to prevent water from flooding areas to the north of 48th Avenue SW. In 2013 the County raised the grade of both 48th Avenue SW and Washington Street to protect the areas north and east of these roadways to a gage reading of 20'. During future events, the culverts under S Washington Street will need to be plugged and water will need to be pumped back across the roadways.



BURLEIGH COUNTY, NORTH DAKOTA
12TH ST SE AND 48TH AVE SE

N
05/12/2021



Action Plan

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Construct a temporary levee along 12th Street SE and 48th Ave SE

History: During the 2011 flood event the temporary levee was constructed on 48th Ave SE.



0 500 1,000 Feet

Map produced by Burleigh County GIS. This map is for representation use only and does not represent a survey. No liability is assumed as to the accuracy of the data delineated hereon.



BURLEIGH COUNTY, NORTH DAKOTA
PRAIRIE ROSE ELEMENTARY SCHOOL

N
05/12/2021



Action Plan

0 100 200 Feet

Action Level: 16 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Construct a ring dike around Prairie Rose Elementary School.

History: During the 2011 flood event a temporary levee was constructed on 48th Ave north of this location.



BURLEIGH COUNTY, NORTH DAKOTA CULVERTS NEXT TO 12TH STREET SE

N
02/27/2020



Action Plan

Action Level: 13 feet (Forecasted Bismarck gage reading)

Responsibility: Burleigh County Highway Department

Action: Culverts under driveways just off of 12th Street SE need to be plugged.

History: During the 2011 flood event water backed up through the culverts under 12th Street SE and flooded the area north and west of 12th Street SE. During future flooding events the culverts under 12th Street SE will need to be plugged to reduce the chance of flooding within this area.

0 250 500 Feet

Exhibit 22: City of Bismarck Existing Protective Measures (2015)




Exhibit 23: City of Bismarck Ice Jam Protective Measures (2015)




Exhibit 24: City of Bismarck Stage 16' Temporary Protective Measures (2015)




Exhibit 25: City of Bismarck Stage 20' Temporary Protective Measures (2015)





Exhibit 26: City of Bismarck Internal Drainage (2015)

Figure 5 identifies the major storm water plugging and pumping locations and the minor pumping locations as well as the major flood control gates. Site Number 9 is the location of the fully functioning permanent Tavis Road pumping station which has a capacity of 60 cfs. The Tavis Road plant will be operated by the County. All other internal drainage must be pumped utilizing temporary portable pumps. The gates located in Riverwood Drive and Mills Avenue are to be operated by the City. The recommended pump sizes are based on discussions with City staff about the 2011 pumping. The opinion of costs for the 16-ft and 20-ft stage open water floods includes the temporary plugging, pumping, and operation and maintenance for three months.

Site	Temporary Pumps
1	2-8" Pumps
2	2-8" Pumps
3	1-6" Pump & 1-8" Pump
4	2-3" Pumps
5	1-6" Pump
6	1-10" Pump
7	WW Treatment Plant 2-6" Pumps
8	1-10" Pump



Appendix 5: Ice Dusting

Guidance on Ice Dusting Material

The ideal material for ice dusting has a dark color and a grain size of about 0.1 to 2.5 mm.

- 0.1 mm size material, 1 mm thickness is recommended
- 1 mm size material, 0.5 cm thickness is recommended
- Larger than 1 mm, the application rate for materials is a single layer thickness.

There are several materials that could be used for ice dusting including but not limited to:

- Sand
- Soil
- Leaf Mulch
- Ashes

Due to environmental concerns, the following materials are not allowed: coal dust, bottom slag, or other by-products of fossil fuels. Furthermore, it is highly recommended that the ND Department of Health be consulted during early planning on any potential material other than washed sand.


Other instances may limit the effectiveness of materials applied: wind could blow the material away or snow could cover the material.


There are several factors that weigh into the decision of when to ice dust, but the rule of thumb is that dusting should be done three to four weeks prior to breakup, with trouble spots dusted even earlier.

Contacts:

Laura C. Ackerman, P.E.
Investigations Section Chief
ND State Water Commission
(701) 328-4868
lcackerman@nd.gov

Roger Kay, P.E.
Chief, Hydraulics Section
U.S. Army Corps of Engineers
1616 Capitol Ave, Suite 9000
Omaha, NE 68102-9000
W: (402) 995-2342
C: (402) 350-4639
Roger.L.Kay@usace.army.mil





Appendix 8: City of Bismarck South Washington St Flood Gate Operations and Management Plan

South Washington Street Flood Gate Operations and Management Plan June, 2001

SUMMARY OF OPERATION DURING FLOOD EMERGENCY

The City of Bismarck, located on the east bank of the Missouri River, has developed an operation plan during the event of a Missouri River flood emergency. The following report will describe the need, purpose, and proper operation for the principal features of the project. Emphasis has been placed on the operation of the flood control structures, warning systems, evacuation plan, and chain of command.

The City of Bismarck currently has a major stormwater channel in South Bismarck which provides stormwater relief during major rainfall events. The South Bismarck Stormwater Channel (Channel) is approximately 3.5 miles in length and has a 30-foot bottom width, 3:1 side slopes, a gradient of 0.1 % or 0.001 ft/ft, and three street crossings. Each street crossing consists of three 8' x 5' concrete box culverts.

A flood control gate was placed on the west side of the triple 8' x 5' box culvert at South Washington Street when the channel was constructed in 1969. This gate was installed to prevent Missouri River floodwaters from flowing east (i.e., upstream) through the Channel and into southeast Bismarck.

Gate Operation - The Channel gates are to be closed when flows on the Missouri River exceed 74,000 cfs or a 15-foot stage at the Bismarck USGS gage located on the left bank approximately 40 feet upstream from the Bismarck Water Treatment Facility. This translates to a backwater elevation of 1630.8 at the gates. The flood stage at the Bismarck USGS gage is 16-feet.

The key factor in deciding when to close the gates is the projected flow on the Missouri River based on releases from Garrison Dam. The Corps of Engineers in Omaha makes the releases from Garrison Dam and under emergency conditions they typically will provide several days of advanced notice prior to major changes in the release rate. Several other potential flood sources include tributary inflows to the Missouri River and ice jams south of the Tavis Road outfall near the Heart River confluence. While these conditions are less predictable, the National Weather Service provides forecasts on potential flood conditions each spring.

The decision to close the gates will be made by the Director of Utility Operations of the Public Works Department for the City of Bismarck (Director). The Director shall closely monitor the flood forecast to determine the level of protection that will be required. A flood monitoring team shall be developed for each level of flood forecast; Level I, II, or III.

Level I is identified when the Missouri River exceeds 12-feet at the Bismarck USGS gage station. This level requires the Director to closely monitor the flood forecast from both the National Weather Service and the Corps of Engineers. Level I has a group of City of Bismarck employees assigned to monitor the potential for flooding along the riverbanks as well as the Channel.

Level II is identified when the Missouri River exceeds 14-feet at the Bismarck USGS gage station. The level of monitoring and protection will be greatly increased when the river reaches this stage. The Director shall develop the calling tree for contacting the required personnel at any time of the day. The calling tree includes work and home phone numbers, cellular phone numbers, and radio call numbers. All personnel will be notified of their on-call status to be prepared for emergency actions. The personnel from the City of Bismarck will continue to closely monitor flooding along the riverbanks as well as the Channel. Local media shall be notified to distribute the flood-forecast information.

Level III is identified when the Missouri River exceeds 15-feet at the Bismarck USGS gage station. This level triggers the closing of the floodgates on the Channel at Washington Street. Emergency personnel from the City of Bismarck shall close the gates and closely monitor the water levels to assure that the gates have been closed properly and are holding the water back. If the gates are not functioning properly, a secondary emergency plan shall be activated which will involve placing approximately 10,000 cubic yards of clay from the Bismarck Municipal Solid Waste Facility or another available site into the Channel to block the migration of Missouri River floodwaters upstream into the Channel.

Raising of Washington Street - An area south of Burleigh Avenue along Washington Street approximately 800 feet in length between cross sections W and X on the Missouri River Flood Insurance Re-Study maps indicates an area that may allow water to back up and potentially flood low lying areas north of this area. In the event that Level III water levels are forecasted, the City will construct an earthen berm using either sandbags or clay depending on the availability of materials. Personnel from the City of Bismarck Public Works department will construct the berm. The berm will be constructed to a grade that will be adequate to control the 100-year flood event at this location. The berm will be monitored by Public Works personnel around the clock in the event that the water level does exceed the current level of Washington Street in this area.

Emergency Evacuation - Level III will require the Director to work very closely with the Director of Emergency Management, the North Dakota National Guard (if the Governor has declared the flood a disaster), and local media. The media will be requested to notify all citizens via television, radio, and newspaper of the dangers of the high floodwaters. The areas in danger will be outlined, and the people in those areas will be placed on standby for emergency evacuation. In the event that the closing of the floodgates or the blocking of the Channel does not function properly, the citizens in eminent danger of flooding will be notified that they must evacuate the areas in danger. The notice to evacuate will be completed via news media as well as door-to-door notification by emergency personnel. The City of Bismarck Police Department and Fire Department will be available to assist with the notification as well as evacuation of citizens needing special care, including elderly, and disabled.

The Emergency Management Center will operate a 24-hour emergency phone line for citizens to receive flood status updates as well as provide the location of flood shelters.

INTERNAL STORMWATER MANAGEMENT

Once the gates are closed, the ability to accommodate upstream stormwater runoff becomes extremely limited. In order to accommodate stormwater runoff during this period, the City will be prepared to dewater the Channel to maximize detention storage.

The first line of defense once the gates are closed is to bring in a temporary pump to remove excess waters from the detention storage. The required pump capacity is based on two criteria. The first is a desire to dewater the Channel and storm sewers in a period not to exceed three days. This may require the removal of 82 acre-feet of water (i.e., elevation 1630.8) which will require pumps with a capacity of 15 cfs. The second is to remove a 10-year 6-hour rainfall event or an equivalent of 187 acre-feet over a period of not more than seven days. This also requires pumping capacity of 15 cfs.

Another floodwater removal alternative is a storm sewer connection between the Channel and the man-made lake to the south of the future Santa Fe Avenue. This lake is public property owned by the Bismarck Parks and Recreation District. This connection would be accomplished by extending existing storm sewer approximately 1300 feet to the man-made lake. The routing of floodwaters to the man-made lake would provide the City of Bismarck with an addition 74 acre-feet to 173 acre-feet depending on the amount of water that was allowed to flow into the lake. Although this alternative is not currently constructed, the City will continue to construct these facilities as the property is annexed into the City. If the entire pipeline is not completed, this alternative could also be accomplished, in the case of an emergency situation, by excavating an open channel to allow the water to flow to the man-made lake.

Appendix 9: Pre-Identified Material Locations for Levee Construction

- Bismarck Municipal Landfill
- Yegen Road/Apple Creek Road
- Bismarck Water Treatment Plan

Appendix 10: Pre-Identified Sandbag Sites

Majority of sites identified below were utilized in 2011

Outdoor

Missouri Valley Complex

Indoor

Bismarck Civic Center

- Exhibit Hall A/B
- Arena

Self-Fill Site Locations

Locations will be identified and publicized dependent upon flood type and resources.

Possible locations include:

- Missouri Valley Complex
- Misty Waters Boat Ramp
- Sertoma Park parking lot near amusement and zoo, and west of maintenance shop
- Cottonwood Park parking lot off Santa Fe Ave
- Country West Road (SW of Cody Drive yard waste site)
- Archery Range parking lot on Riverwood Drive
- Horse Arena parking lot on Riverwood Drive
- Horizon School parking lot off Ash Coulee
- Ash Coulee water tower site
- BSC community bowl parking lot west of Aquatic Center along Canary Ave
- Sibley Park on South Washington Street
- Whispering Bay Shoreline Drive turnaround
- Hoge Island Park property near playground and boat ramp
- Riverwood Golf Course parking lot

Appendix 11: Forms – Volunteer Waiver Form

Informed Consent, Waiver and Release of Liability Agreement Burleigh County Sandbagging Operations

The undersigned, being at least 18 (eighteen) years of age, does hereby agree to this consent, waiver, and release of liability.

Acknowledgement and Assumption of Risk

I recognize that the sandbagging operations will involve physical labor and may carry a risk of personal injury. I hereby agree to assume all risks which may be associated with or may result from my participation in this effort.

I also recognize that the physical activity may cause physical and emotional discomfort. I state that I am free from any known heart or other health problems that could prevent me from participating. I further state that I am sufficiently physically fit to participate in the activities.

Waiver and Release of Liability

I agree to release Burleigh County, their agencies, departments, officers, employees, agents, and all sponsors and/or officials and staff of any said entity or person, their representatives, agents, affiliates, directors, servants, volunteers, and employees from the cost of any medical care that I receive while participating in this activity or as a result of it.

I further agree to waive, release, and discharge Burleigh County from any and all liability, claims, demands, actions, and causes of actions whatsoever, except to the extent prohibited by ND Century Code 9-08-02, for any loss, claim, damage, injury, illness, attorney's fees or harm of any kind or nature to me arising out of any and all activities associated with participating in this activity or as a result of it.

Consent

In the event of injury while participating in any and all activities associated with the Program, I consent to receive any emergency medical aid, anesthesia, and/or medical treatment or operation if, in the opinion of the attending physician, such treatment is necessary.

I, the undersigned participant, affirm that I am at least 18 years of age and am freely signing this agreement. I have read this form and fully understand that by signing this form I am giving up legal rights and/or remedies which may otherwise be available to me regarding any losses I may sustain as a result of my participation. I agree that if any portion is held invalid, the remainder will continue in full legal force and effect.

READ BEFORE SIGNING

NAME: _____

SIGNATURE: _____ DATE: _____

WITNESS: _____ DATE: _____

Return completed form to Burleigh County Emergency Management.

Authorization for Participants Under 18 Years of Age

NAME OF MINOR_____

NAME OF MINOR_____

NAME OF MINOR_____

NAME OF MINOR_____

NAME OF MINOR_____

I have read the “Informed Consent, Waiver and Release of Liability Agreement” and do hereby authorize and give permission for the above-names minor(s) to participate in Burleigh County Sandbagging Operations.

PARENT/GUARDIAN NAME_____

PARENT/GUARDIAN SIGNATURE

DATE

WITNESS: _____DATE: _____

Return completed form to Burleigh County Emergency Management.

Appendix 12: Forms – Volunteer Registration Form

Volunteer Registration Form

[illegible]

Return completed form to Burleigh County Emergency Management